



211
W

Output power range

8800
mA

Output current range

enOcean

Control signal

TENDER TEXT

BILTON STEEL EnOcean 12-24VDC 200W IP20 4CH 2,2A/channel LED dimmer BILTON STEEL enOcean Article 101637 The STEEL series is a 1- to channel LED dimmer for modules in constant current operation. The total load of max. 8800 mA can be freely distributed to these channels. The controller is operated with enOcean and has an output voltage of 12-24 VDC. The power dissipation in stand-by is . The dimming frequency of the PWM signal is . Protection degree IP20 and protection class III . Dimension (L x W x H): 187.0 mm x 44.0 mm x 20.0 mm



BLSTLENOC024DC20020004022

Article no.: 101637

MECHANICAL DATA

Net width [mm]	44.0
Net height [mm]	20.0
Net length [mm]	188.0
Degree of protection (IP)	IP20
Housing	Plastic housing
Net weight [g]	106

ELECTRICAL DATA

Control signal	enOcean
Output power range [W]	211
Output voltage range [V]	12 - 24
Output current range [mA]	8800
Protection class	III

PACKAGING INFORMATION

EAN	4250716909715
Article no.	101637
Customs tariff number	85423190
Length [mm]	187.0
Gross weight [g]	162.0
Gross height [mm]	28.0
Gross width [mm]	52.0
Gross length [mm]	205.0
State of origin	AT

NECESSARY ACCESSORIES

Article	Article no.
BASE Controller EnOcean	101633
EnOcean radiio switch	170220

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.biltongroup.com

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.biltongroup.com